

ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM

Plant Abstract

Element Code: PGEPH010E0

Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Ephedra funerea* Coville & Morton

COMMON NAME: Death Valley Mormon Tea, Death Valley Ephedra, Death Valley jointfir, funera Mormon tea

SYNONYMS: *Ephedra californica* var. *funera* (Coville & Morton) L. Benson

FAMILY: Ephedraceae

AUTHOR, PLACE OF PUBLICATION: Coville & C.V. Morton, Jour. Wash. Acad. Sci. 25(7): 307-308. 1935.

TYPE LOCALITY: Furnace Creek Canyon, Death Valley, California.

TYPE SPECIMEN: HT: US – 1565472. F.V. Coville with M.F. Gilman 447, 26 Apr 1932.

TAXONOMIC UNIQUENESS: A gymnosperm in the family Ephedraceae. The species *funerea* is 1 of 18 in the genus *Ephedra* in North America.

DESCRIPTION: An intricately branched, erect shrub, 0.25 – 1.5 m (0.82 – 4.92 ft) high, with pale green spinosely tipped branchlets. Bark gray, slightly cracked and irregularly fissured. Branches alternate or whorled, rigid, angle of divergence about 60°. Twigs gray-green, becoming gray with age, glaucous, slightly scabrous, with numerous very fine longitudinal grooves; internodes 2-6 cm (0.8–2.4 in). Terminal buds conic, 1-4 mm, apex acute. Leaves in whorls of 3, 2-6 mm, connate to 2/3-3/4 their length; bases splitting at margins, persistent, forming black, thickened collar, apex acute. Pollen cones 1-3 per node, narrowly ellipsoid, 5-8 mm long, on very short, scaly peduncles (rarely sessile). Bracts in 6-9 whorls of 3, light yellow, ovate, 3-4 x 2-3 mm, membranous, with short-clawed base; bracteoles equaling bracts. Sporangiphores 3-5 mm, exserted to 1/3 their length, with 3-7 sessile to short-stalked microsporangia. Seed cones 1-3 at node, lance-obovoid, 8-15 mm long, on short, scaly peduncles (rarely sessile); bracts in 6-9 whorls of 3, obovate, 4-8 x 3-5 mm, papery, yellow-translucent with green-yellow center and base, base broadly clawed, margins slightly dentate. Generally 1 seed (sometimes 2-3), 6-10 x 2-4 mm long, ovoid, 4-angled, pale green to light brown, smooth to scabrous. Fruits scarcely exserted beyond the bracts. (FNA 1993+).

AIDS TO IDENTIFICATION:

ILLUSTRATIONS: Line drawing (Benson and Darrow, 1981: fig. 3.373).
Color photos (Blakely, 1998 *in* CalPhotos)

Color photo of Holotype (Coville & Morton US-156472, in <http://ravenel.si.edu/botany/types/fullRecords.cfm?myFamily=>)
Color photos (Gary A. Monroe 2002, in USDA, NRCS 2004, http://plants.usda.gov/cgi_bin/plant_search.cgi)
Line drawing (*In* FNA 1993+, http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=233500606)

TOTAL RANGE: A native to the Mojave desert of California, extending slightly into Nevada and west-central Arizona.

RANGE WITHIN ARIZONA: La Paz and Mohave counties, Arizona.

SPECIES BIOLOGY AND POPULATION TRENDS

GROWTH FORM: Perennial shrub.

PHENOLOGY: Coning from March - April.

BIOLOGY:

HABITAT: Washes and mountainsides in the Mojave Desert, in sandy dry soil and rocky scrub areas. Associated with limestone mountain ranges in Nevada.

ELEVATION: For their range, the elevation < 1700 m (5,577 ft), usually between 610 – 1524 m (2,000 – 5,000 ft); FNA (1993+) reports elevation between 500-1500 m (1,639-4,918 ft). Based on two records in the Heritage Data Management System (HDMS), elevation ranges from 323 – 372 m (1,060 – 1,220 ft) (AGFD, unpublished data accessed 2002).

EXPOSURE:

SUBSTRATE: Sandy, dry soil and rocky scrub areas; stabilized dunes.

PLANT COMMUNITY: Lower Sonoran; southwestern desertshrub. *Larrea tridentata*/Ambrosia dumosa scrub with *Acamptopappus s. var. sphaerocephalus* (rayless goldenhead). Associated species include: *Ambrosia dumosa* (white bursage), *Fouquieria splendens* (ocotillo), *Larrea tridentata* (creosotebush), *Opuntia ramosissima* (lead-pencil cholla), and *Parkinsonia floridum* (blue paloverde). Common where various combinations of *Atriplex* (saltbush), *Ambrosia*, *Coleogyne ramosissima* (blackbush), *Larrea*, or *Prosopis* (mesquite) are dominants (Beatley, 1976).

POPULATION HISTORY AND TRENDS: Unknown

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: None
STATE STATUS: None
OTHER STATUS: None (USDI, BLM AZ 2005)
[Bureau of Land Management Sensitive (USDI, BLM AZ 2000)]

MANAGEMENT FACTORS:

PROTECTIVE MEASURES TAKEN:

SUGGESTED PROJECTS:

LAND MANAGEMENT/OWNERSHIP: Bureau of Land Management – Havasu Field Office.

SOURCES OF FURTHER INFORMATION**REFERENCES:**

- Beatley, J.C. 1976. Vascular Plants of the Nevada Test Site and Central-Southern Nevada: ecologic and geographic distributions. Technical Information Center, Office of Technical Information, Energy Research and Development Administration. P. 114.
- Benson L., and R.A. Darrow. 1981. Trees and Shrubs of the Southwestern Deserts. The University of Arizona Press. Tucson, Arizona. P. 381.
- CalPhotos. 1998. Photos of *Ephedra funerea*; Death Valley Ephedra by Larry Blakely. Accessed 2002 from <http://elib.cs.berkeley.edu/cgi/>.
- Earle, C.J., ed. Gymnosperm Database, *Ephedra funerea* Coville & Morton 1935, description. <http://www.conifers.org/ep/ep/funerea.htm>, accessed 2002.
- Flora of North America Editorial Committee, eds. 1993+. Flora of North America North of Mexico. 7+ vols. New York and Oxford.
- Hickman, J.C., ed. 1993. The Jepson Manual, Higher Plants of California. University of California Press. Berkeley, California. P. 115.
- Integrated Taxonomic Information System (ITIS). Retrieved 3/23/2005 from ITIS, <http://www.itis.usda.gov>.
- McMinn, H.E. 1959. An illustrated manual of California shrubs. University of California Press. Berkeley, California. Pp. 45-46.
- Missouri Botanical Garden - TROPICOS, Nomenclatural Data Base. *Ephedra funerea* Coville & C.V. Morton. http://mobot.mobot.org/cgi-bin/search_vast. (Accessed: 3 Apr 2002).
- Missouri Botanical Garden – TROPICOS, Nomenclatural Data Base. *Ephedra funerea* Coville & C.V. Morton. <http://mobot.mobot.org/>. (Accessed: 23 Mar 2005).
- Munz, P.A. 1974. A Flora of Southern California. University of California Press. Berkeley, California. P. 44.

- NatureServe Explorer: An online encyclopedia of life [web application]. 2001. Version 1.6. Arlington, Virginia, USA: NatureServe. Available: <http://www.natureserve.org/explorer> (Accessed: April 3, 2002).
- NatureServe. 2005. NatureServe Explorer: An online encyclopedia of life [web application]. Version 4.2. NatureServe, Arlington, Virginia. Available: <http://www.natureserve.org/explorer>. (Accessed: March 23, 2005).
- SEINet. Collections Search Result. Accessed 3/23/2005 at <http://seinet.asu.edu/collections/list.jsp>.
- U.S. National Herbarium Type Specimen Register (US). <http://ravenel.si.edu/>. (Accessed: 3/23/2005).
- USDA, NRCS. 2004. The PLANTS Database, Version 3.5 (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.
- USDI, Bureau of Land Management. 2000. BLM Sensitive Species List for Arizona. Information Memorandum No. AZ-2000-018.
- USDI, Bureau of Land Management. 2005. BLM Sensitive Species List for Arizona.

MAJOR KNOWLEDGEABLE INDIVIDUALS:**ADDITIONAL INFORMATION:**

Revised: 2002-04-11 (SMS)
2005-04-28 (SMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.