

**ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM**

Animal Abstract

Element Code: AAABC02080

Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Hyla wrightorum* Taylor

COMMON NAME: Mountain treefrog, Sonora treefrog, Wrights' treefrog, Sonora Hyla, Arizona treefrog, Madrean treefrog

SYNONYMS: *Hyla eximia wrightorum* Taylor

FAMILY: Anura: Hylidae

AUTHOR, PLACE OF PUBLICATION: Taylor, Univ. Kansas Sci. Bull. 25: 436. 1939.

TYPE LOCALITY: Eleven miles south of Springerville, Apache County, Arizona, U.S.A.

TYPE SPECIMEN: HT: UMMZ-83074. I.J. Cantrall, 11 Aug 1935. Paratype: FMNH-10822 (Field# UMMZ 79141(3)).

TAXONOMIC UNIQUENESS: *Hyla wrightorum* is 1 of 5 hylidae species that occurs in Arizona (Harper et al. 2002). Until recently, *Hyla wrightorum* was regarded as a synonym of *Hyla eximia*, but Duellman recognized *H. wrightorum* as a distinct species. This treatment was adopted by Crother et al. (2003). The taxonomic status of Mexican populations north of the Mexico City region is uncertain (Crother et al 2003 in NatureServe, 2005).

DESCRIPTION: A small frog with adults ranging in size from 0.75 – 2.25 in (2-5.7 cm). The dorsum is green to brownish with a dark eye stripe that extends beyond the shoulder, sometimes to the groin. Toward the rear, the stripe may break up into spots. There is a thin white line that separates the stripe from the back color. Spotting on the head and upper back is usually scarce or absent. Some individuals have a spot on each upper eyelid and dark lengthwise bars or spots on the lower back and some completely lack such markings. Males have a tan or greenish throat, while the females throat is typically white. Toe pads are distinct but small, and the webbing is reduced. Tadpoles are brown dorsally with minute silvery-gold flecks, while dark ventrally and tinged pale gold (Somma 2005 USGS). Tadpole lengths range from 4.9 - 5.2 cm (1.9-2.04 in), with the tail alone being 1/2 to 2/3 their bodies (Mehta 2005). (Stebbins 1985; Behler & King 1992; AmphibiaWeb, accessed 2005).

AIDS TO IDENTIFICATION: Skin smooth and green with a dark stripe through the eye and along the side.

ILLUSTRATIONS: Color drawing (Stebbins 1985: plate 16)
Color photo (Behler and King 1979: plate 150)

Color Photo (Babb *in*
<http://www.reptilesandamphibians.com/Turtle-Amphibs-Subpages/h-wrightorum.html>)

Mating call and Color photo (McHugh *in*
<http://www.enature.com/fieldguide/>)

Color photo (*In* [http://images.google.com/images/?/](http://images.google.com/images?/))

TOTAL RANGE: Mountains of central Arizona and Southeastward into west-central New Mexico, south into Mexico. In Mexico, south in Sierra Madre Occidental to southern Chihuahua (Duellman 2001) and perhaps to north of Mexico City region, but the precise distribution in Mexico is unclear due to taxonomic uncertainties (Frost 2002; Crother et al. 2003 *in* NatureServe 2005).

RANGE WITHIN ARIZONA: Forested central plateau north of Mogollon Rim and isolated populations in the Huachuca Mountains and adjacent Canelo Hills in southeastern Arizona (Brennan 2003).

SPECIES BIOLOGY AND POPULATION TRENDS

BIOLOGY: *H. wrightorum* are nocturnal. During the colder winter and hotter summer months they hibernate (aestivates) (NatureServe 2005). The skin of is toxic and can severely irritate the eyes of humans after handling (Somma 2005, USGS). Voice is a harsh, low, slightly metallic note repeated several times per second.

REPRODUCTION: Breeds June through August, during and after rains. The breeding period can be from two to eight days (Mehta 2005). It breeds in shallow pools, ponds, and slow moving streams. Breeding choruses typically last for only 2-3 days, after which most frogs leave the breeding habitats (Brennan 2003). Egg masses are attached to vegetation just below the water (Behler and King 1979, *in* NatureServe 2005). Tadpoles metamorphose in about 6-11 weeks, when they reach about 38 mm.

FOOD HABITS: Arthropods. Very little is known of the food habits of *Hyla wrightorum*, although beetles, spiders, earthworms, flies, bark beetles, and grass particles have been seen in the stomach contents of Arizona species. Larvae probably eat algae, organic debris, and plant tissue.

HABITAT: In Arizona, they can be found on the ground or in shrubs and trees near ponds, pools and streams, usually in coniferous forest.

ELEVATION: 3,000 - 9,500 feet (915 - 2898 m). A large proportion of occurrences in Arizona occur above 6,000 feet.

PLANT COMMUNITY: Riparian communities in coniferous forests. Frequents meadows in oak-pine or pine-fir forests.

POPULATION TRENDS: Unknown. Appears to be stable on the Mogollon Rim, but may have declined in the Huachuca Mountains. According to NatureServe (2005), the population is likely relatively stable in extent of occurrence, unknown degree of decline in population size, area of occurrence, and number/condition of occurrences.

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: C,DPS (USDI, FWS 2007)
STATE STATUS: None
OTHER STATUS: None

MANAGEMENT FACTORS: According to NatureServe (2005), there are no known threats to this species, although some sources cite that introduced species could have an effect. Also, according to Sredl and Collins (*in* Degenhart 1996), the presence of *Ambystoma tigrinum* larvae strongly affected the survival of tadpoles. When salamanders were absent, survival was nearly 5 times greater than when salamanders were present.

PROTECTIVE MEASURES TAKEN: Arizona fishing license required to take any amphibians.

SUGGESTED PROJECTS: Distribution, habitat, population and life history studies needed.

LAND MANAGEMENT/OWNERSHIP: BIA – Camp Verde and Fort Apache Reservations; DOD - Fort Huachuca Military Reservation; USFS - Apache-Sitgreaves, Coconino, Coronado, Kaibab, and Tonto National Forests; AGFD Region I Office; State Land Department; Private.

SOURCES OF FURTHER INFORMATION

REFERENCES:

- Babb, R. 2003. Mountain Treefrog: *Hyla wrightorum*. Available in <http://www.reptilesfaz.com/Turtle-Amphibs-Subpages/h-h-wrightorum.html>
- Baird. 1854. Proc. Acad. Nat. Sci. Phila. 7:59-62.
- Bebler, J.L. and F.W. King. 1979. The Audubon Society field guide to North American reptiles and amphibians. Alfred A. Knopf. New York. Pp. 406-407.
- Brennan, T. 2003. "Mountain Treefrog- *Hyla wrightorum*". Accessed: 22 June 2005. <http://www.reptilesfaz.com/Turtle-Amphibs-Subpages/h-h-wrightorum.html>.
- Degehardt, W. et al. 1996. Amphibians and Reptiles of New Mexico. University of New Mexico Press. Albuquerque, New Mexico. Pp.69-71.

- Duellman, W.E. 1970. The hylid frogs of Middle America. Mono. Mus. Nat. Hist., University of Kansas. 1:499-506.
- Frost, D. 1998-2004. The American Museum of Natural History. Amphibian Species of the World 3.0 [web application]. *Hyla wrightorum* Taylor, 1939.
<http://research.amnh.org/herpetology/amphibia/references.php?id=4862>.
- Harper, M. et al. 2002. The Essence of Arizona: Our Natural Symbols. Pp.8.
- Lowe, C.H. 1964. Amphibians and reptiles. The vertebrates of Arizona. University of Arizona Press. Tucson, Arizona. Pp.157.
- McHugh, T. 2003. Accessed 2005. Available:
<http://www.enature.com/fieldguides/detail.asp?agencyID=7&curPageNum=171&recnum=AR0558>.
- Mehta, P. (p_mehta@berkeley.edu), URAP. 2004-10-06, AmphibiaWeb: Information on amphibian biology and conservation. [web application]. 2005. Berkeley, California: AmphibiaWeb. Available: <http://amphibiaweb.org/>. (Accessed: June 22, 2005).
- National Wildlife Federation. Web abstracts: Reptiles and Amphibians: Mountain Treefrog.
<http://www.enature.com/fieldguide/showSpeciesSH.asp?curGroupID=7&shapeID=1056&curPageNum=29&recnum=AR0558>. Accessed: 2005.
- NatureServe. 2005. NatureServe Explorer: An online encyclopedia of life [web application]. Version 4.4. NatureServe, Arlington, Virginia. Available
<http://www.natureserve.org/explorer>. (Accessed: June 22, 2005).
- Smith, H.M. 1978. A guide to field identification. Amphibians of North America. Western Publishing Co., Inc. Racine, Wisconsin. P. 56.
- Somma, L., USGS. Accessed 2005. Nas: *Hyla wrightorum* Taylor, 1938. Available:
<http://nas.er.usgs.gov/queries/FactSheet.asp?SpeciesID=54>>.
- Stebbins, R.C. 1951. Amphibians of western North America. University of California Press. Berkeley, California. Pp. 327-330.
- Stebbins, R.C. 1954. Amphibians and reptiles of western North America. McGraw-Hill Book Company, Inc. New York. Pp. 122-124.
- Stebbins, R.C. 1985. Western reptiles and amphibians. Houghton Mifflin Company. Boston, Massachusetts. P. 81.
- Taylor. 1939. Univ. Kansas Sci. Bull., 25: 436.
- Vitt, L.J. and R.D. Ohmart. 1978. Herpetofauna of the lower Colorado River. West. Found. of Vert. Zool. Los Angeles, California. 2:2.
- Wright, A.H. and A.A. Wright. 1949. Handbook of frogs and toads of the United States and Canada. Comstock Publishing Associates. Ithaca, New York. Pp. 360-365.

MAJOR KNOWLEDGEABLE INDIVIDUALS:**ADDITIONAL INFORMATION:**

Revised: 1993-01-26 (SSS)
1998-01-29 (SMS)
2005-07-01 (TAB)
2007-12-10 (TFH)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.